

Mallia™



Express Yourself Like Never Before





It's s simple

Mixing colours is a breeze with Mallia™. With four new metal plates added to the current range, the possibilities are not only endless, but also exciting.



LOOK	Love at First Sight	4
TOUCH	Something to Behold	10
LOVE	Marvel at the Versatility	12
WOO	Form and Functionality	18
CLOSE	Detail Catalogue	20

LOOK



Bedazzled by the New Shine?

You should be. When new shine meets all-time favourites, it is natural that your gaze lingers for just a tad longer.



Brushed Stainless Steel



Gold



Lacquered Black



Polished Stainless Steel



Always the Crowd Pleaser

Be it conventional matt white, stylish light silver, elegant pearl or the chic dark silver, the Mallia™ range exudes alluring elegance and uncompromised simplicity – like always.



Silver



White




Pearl



Dark Silver



LOOK



♥ Brushed Stainless Steel with Silver Rocker

♥ Lacquered Black with Dark Silver Rocker

♥ Polished Stainless Steel with Silver Rocker

♥ Gold with Pearl Rocker

White

♥ NEW METAL PLATES



Dark Silver with Silver Rocker



Copper with Pearl Rocker



Brass with Dark Silver Rocker



Champagne with Silver Rocker



Silver with Dark Silver Rocker



Matt Dark

Let the plateful of Mallia™ colours delight visual senses. With our enhanced selection of classic matt white, contemporary silver, lustrous pearl, supple copper, muscular bronze, enduring brushed stainless steel, mysterious lacquered black, melodic brass, sexy matt black, there is a colour for every style.




A looker in every sense and absolutely original. Each switch can now have a character and an identity of its very own. Champagne with silver, gold with pearl, polished stainless steel with silver, lacquered black with dark silver and more, the combinations are simply boundless.



TOUCH

Something to Behold


From the graceful profile to the sultry curves, the refreshed Mallia™ range is more than just a head turner. Its satin finish assures that the touch is equally sensual. It is definitely a breath-taking experience.



In a class of its own, whether frontal or side, each curve and detail of Mallia™ stamps uniqueness.



A visual and sensory treat as the colours and the complementary finishing converge into a pristine whole.



Not to forget, the slim profile also promises to be a perfect fit for every space and design.

milky smooth



metallic blast



polished appeal



LOVE

Marvel at the Versatility of Mallia™



The full works - 1 to 3 gang transparent rocker "Full Screen" consists of three layers: the Rocker, Blank label and Transparent cover.

Irresistibly charming. The Mallia™ range is so easy to love. Like a chameleon that is highly adaptable, Mallia™ rises up to the occasion, in style – always.



100% flexible. Any design. Any frequency of change. The possibilities are endless with Mallia™.

LOVE

Ease and control with our sound diffusion system. Choose the standalone unit to regulate sound system and FM radio tuner or the multi-zone control unit that also enables intercom and remote child-monitoring.



Stand alone tuner



Central unit



Loudspeaker



1-gang switch



2-gang switch



3-gang switch



4-gang switch



2-gang illuminated switch



with local control unit

Form does not need to be compromised with Mallia™. TV and FM sockets can now sit right beside the rest of your switches. No compromise to style.



TV female terminal socket



FM-TV socket



3-gang illuminated switch



Bell push-button



Indicator for Do not disturb /
Clean up and bell push-button



Do not disturb / Clean up
2-gang switch



Rotary dimmer

Even more versatile than you expect

The flame of passion just keeps burning stronger and brighter.

In complete harmony to the modern lifestyles demands. No matter how visionary your lifestyle, our renewed range promises to enhance the overall experience – our expression of affection.

Be connected to the world in style with telephone and data sockets from Mallia.



Telephone socket



Data socket



Fan speed control



Telephone socket



2-gang switch with transparent rocker and label holder



1-gang 45A DP switch with LED indicator



1-gang (BS) socket outlet

Beyond getting the ergonomics right, Mallia™ goes the distance to ensure that form always complements the function. We give the freedom to express creativity – our speech of love.

We know what counts. Mallia™'s automatic switch and time delay switches help to save energy, so that there is more for other things.



Rotary dimmer control and 2 way switch



Automatic switch



Time delay switch



2-gang socket outlet



Multistandard socket outlet



Automatic switch



FM-TV socket



Our affinity lasts a lifetime. Not only does Mallia™ offer form and function in our expanded range, we also take care to ensure that the installation process is effortless. This justifies that the love for us is well-placed.



Resilient and flexible material used for the plates make it easy for mounting on uneven surfaces.




Slim design of the mechanisms gives way for larger wiring space in the box.



Mallia™ plates and gang units are interchangeable and easy to install. Simply wire the gang units and clip on the colour plates that suit your designs best.



Safety mark label proves conformity to BS standards. Insulated frame - designed with safety in mind.



It's so easy to perform installation with our top access screws for connecting electrical wires.

Mallia™ single pole switches - complete white



2 810 00



2 810 04



2 810 10



2 810 16

Conform to BS EN 60669 – 1
 Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied complete with plate
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole standard switches 10 AX - 250 V~
10	2 810 00	1 gang - 1-way switch ○ White
10	2 810 01	1 gang - 2-way switch ○ White
4	2 810 08	1 gang - intermediate switch ○ White
10	2 810 02	2 gang - 1-way switch ○ White
10	2 810 03	2 gang - 2-way switch ○ White
10	2 810 04	3 gang - 1-way switch ○ White
10	2 810 05	3 gang - 2-way switch ○ White
10	2 810 06	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 07	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

Pack	Cat.Nos	Single pole illuminated switches 10 AX - 250 V~
Transparent phosphorescent lens To be equipped with green or red LED according to the needs: indicator or locator (p. 34) The LED is not supplied		
10	2 810 10	1 gang - 1-way switch ○ White
10	2 810 11	1 gang - 2-way switch ○ White
4	2 810 09	1 gang - intermediate switch ○ White
10	2 810 12	2 gang - 1-way switch ○ White
10	2 810 13	2 gang - 2-way switch ○ White
10	2 810 14	3 gang - 1-way switch ○ White
10	2 810 15	3 gang - 2-way switch ○ White
10	2 810 16	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 17	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

Mallia™ single pole switches and double pole switches - complete white



2 810 50



2 810 53



2 810 62



2 810 72

Conform to BS EN 60669 – 1
 Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied complete with plate
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole switches 20 AX - 250 V~
10	2 810 50	1 gang - 1-way switch ○ White
10	2 810 51	1 gang - 2-way switch ○ White
4	2 810 69	1 gang - intermediate switch ○ White
10	2 810 52	2 gang - 1-way switch ○ White
10	2 810 53	2 gang - 2-way switch ○ White
10	2 810 54	3 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White
10	2 810 55	3 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ○ White

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~
10	2 810 60	Equipped with earth link connector 1 gang - 1-way ○ White
10	2 810 61	1 gang - 1-way with LED power indicator ○ White
10	2 810 62	1 gang - 1-way with LED power indicator and "WATER HEATER" marking ○ White

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~
10	2 810 65	Equipped with earth link connector 2 gang - 1-way with LED power indicator ○ White
10	2 810 66	1 gang - 1-way with LED power indicator and cable outlet ○ White
10	2 810 67	1 gang - 1-way with LED power indicator and cable outlet, "WATER HEATER" marking ○ White
10	2 810 68	1 gang - 2-way with "WATER HEATER" marking ○ White

Pack	Cat.Nos	Double pole switches 45 A - 250 V~
10	2 810 71	Conform to BS EN 60669 - 1 1 gang - 1-way with red indicator ○ White
10	2 810 72	1 gang - 1-way with red indicator and cooker marking ○ White
5	2 810 73	2 gang - 1-way vertical switch with red indicator Dim.: 86 x 146 mm ○ White

Mallia™ push-buttons, dimmers, automatic switches and other lighting functions - complete white



2 810 40



2 810 84



2 810 91



2 810 75

Conform to BS EN 60669 – 1
 Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied complete with plate
 Dim.: 86 x 86 mm

Pack Cat.Nos Push-buttons 10 A - 250 V~

Pack	Cat.Nos	Product Description
10	2 810 41	N/O contact (push to make) ○ White
10	2 810 40	N/O contact with bell symbol ○ White

Dimmers

Pack	Cat.Nos	Product Description
10	2 810 80	Rotary control dimmer 60-500 W for incandescent and halogen lamps 230 V~ - 60-300 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 0 401 39 ○ White
1	2 810 84	Rotary control dimmer + switch 500 W rotary control dimmer + 2-way switch - for incandescent and halogen lamps 230 V~ ○ White
1	2 810 85	Rotary dimmer 60-1000 W for incandescent and halogen lamps 230 V 60-100 VA for halogen lamps with ferromagnetic transformers can control electronic transformers with leading edge behaviour, max. 600 VA Installation without neutral ○ White

Automatic switch

Pack	Cat.Nos	Product Description
1	2 810 90	IR movement detector Horizontal detection angle 180° Luminosity threshold: 43 to 1614 lux Temporization: 20 s - 15 min Detection range: max. 12 m Compatible load: 25 - 200 W for incandescent and halogen lamps 230 V~ ○ White

Pack Cat.Nos Programmable switch

Pack	Cat.Nos	Product Description
1	2 810 92	Programmable switch Power supply: 230 VA - 50/60 Hz Maximum load: 2300 W Weekly programme Capacity: max. 28 programmes Output: 1 changeover contact ○ White
1	2 810 91	Time delay switch Adjustable time from 5 min to 12 h Maximum load: 500 W incandescent and halogen lamps 230 V~ 250 W fluorescent lamps without capacitor ○ White
1	2 810 81	Fan speed controls 400 VA rotary fan control ○ White
1	2 810 82	5-speed fan control 100 W for fan with overall diameter 48" ○ White
5	2 810 75	Cooker control unit 45 A - 250 V~ Conform to BS 4177 45 A DP switch + 13 A switched socket outlet with red indicator Dim.: 146 x 86 mm ○ White

Mallia™ telephone, data, television, shaver sockets and cable outlets - complete white



2 811 60



2 811 65



2 811 35



2 811 47

Conform to BS EN 60669 – 1
 Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied complete with plate
 Dim.: 86 x 86 mm

Pack Cat.Nos Telephone sockets

Pack	Cat.Nos	Telephone sockets
5	2 811 60	RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector ○ White
5	2 811 63	Double RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector ○ White
5	2 811 68	BS master telephone sockets ○ White
5	2 811 69	BS secondary telephone sockets ○ White
10	2 811 70	2 A - 3 pin sockets ○ White

Data sockets

5	2 811 61	RJ 45 Cat. 5e UTP ○ White
5	2 811 62	RJ 45 Cat. 6 UTP ○ White
5	2 811 64	Double RJ 45 Cat. 5e UTP ○ White
5	2 811 65	Double RJ 45 Cat. 6 UTP ○ White

Pack Cat.Nos Telephone and data sockets

5	2 811 66	RJ 11 + RJ 45 sockets Cat. 5e UTP ○ White
---	----------	---

Television sockets

10	2 811 51	TV female terminal socket ○ White
10	2 811 52	TV female "F" type socket ○ White
5	2 811 53	TV-R terminal socket ○ White
5	2 811 57	TV-R-SAT socket ○ White
2	2 811 55	TV-FM SCV Outlet type F (2 gang) ○ White


Shaver socket

1	2 811 35	Shaver socket 240 V / 120 V ~ - 50/60 Hz Dim.: 86 x 146 mm ○ White
---	----------	--

Cable outlets

10	2 811 47	20 A Conform to BS 5733 ○ White
5	2 811 48	45 A ○ White

Mallia™ British standard socket outlets and fused connection units - complete white



Conform to BS EN 60669 – 1
 Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 All sockets integrate child protection
 Supplied complete with plate
 Dim.: 86 x 86 mm

Pack	Cat.Nos	British standard socket outlets 13 A - 250 V~
10	2 811 10	Conform to BS 1363: Part 2 1 gang unswitched ○ White
5	2 811 12	2 gang unswitched ○ White Dim.: 146 x 86 mm
10	2 811 11	1 gang - single pole switched ○ White
10	2 811 14	1 gang - single pole switched with red power indicator ○ White
5	2 811 13	2 gang - single pole switched ○ White Dim.: 146 x 86 mm
5	2 811 15	2 gang - single pole switched with red power indicator ○ White Dim.: 146 x 86 mm
10	2 811 16	1 gang - double pole switched ○ White
10	2 811 18	1 gang - double pole switched with red power indicator ○ White
5	2 811 17	2 gang - double pole switched ○ White Dim.: 146 x 86 mm
5	2 811 19	2 gang - double pole switched with red power indicator ○ White Dim.: 146 x 86 mm

Pack	Cat.Nos	British standard socket outlets 15 A - 250 V~
10	2 811 27	Conform to BS 546 1 gang unswitched ○ White
10	2 811 28	1 gang switched ○ White
10	2 811 29	1 gang switched, with red LED power indicator ○ White

Pack	Cat.Nos	British standard socket outlets 5 A - 250 V~
10	2 811 31	Conform to BS 546 1 gang unswitched ○ White
10	2 811 32	1 gang switched ○ White

Pack	Cat.Nos	13 A fused connection units
10	2 811 40	Conform to BS 1363: Part 4 Unswitched ○ White
10	2 811 41	Switched ○ White
10	2 811 42	Switched with red LED power indicator ○ White

Mallia™ Euro-US and German standard socket outlets - complete white



2 811 00



2 811 20

Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 All sockets integrate child protection
 Supplied complete with plate
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Euro-US standard socket outlets 10/16 A - 250 V~
10	2 811 00	2P - 1 gang ○ White
10	2 811 01	2P - 1 gang + 10 A switch ○ White
10	2 811 02	2P - 2 gang (separated connection) ○ White
10	2 811 03	2P+E - 1 gang ○ White
10	2 811 04	2P+E - 2 gang ○ White

Pack	Cat.Nos	US standard socket outlets 15 A - 127 V SASO agreement
10	2 811 05	2P+E - 1 gang ○ White
10	2 811 06	2P+E - 2 gang ○ White

Pack	Cat.Nos	German standard socket outlets 16 A - 250 V~
10	2 811 25	2P+E - 1 gang ○ White - Vertical mounting
10	2 811 26	○ White - Horizontal mounting

Pack	Cat.Nos	Multistandard socket outlet 16 A - 250 V / 15 A - 127 V
10	2 811 20	2P+E - 1 gang ○ White
10	NEW 2 811 22	2P+E - 2 gang ○ White

Mallia™ switches for hotels, downlighters and sound distribution - complete white



2 810 48



2 810 97







2 811 82









2 811 84

Polycarbonate front cover plates with a matt finish
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 Supplied complete with plate
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Switches for hotels - 230 V~
1	2 810 48	Key card switch - 15 A Time delay around 30 s ○ White 
10	2 810 45	Do not disturb / Occupied / Clean up Bell push-button ○ White 
10	2 810 46	Do not disturb / Clean up - 2 gang switch ○ White 

5	2 810 97	Downlighter Low output downlighter 230 V~ , with LED 2P+E - 1 gang ○ White 
---	----------	--

Pack	Cat.Nos	Stand-alone sound distribution system for 1 single room
1	2 811 80	Kit containing: - 1 power supply - 1 tuner - 2 loudspeakers ○ White 

Pack	Cat.Nos	Configurable sound distribution system for several rooms
1	2 811 81	Modular power supply 230 V / 15 V - 15 W 5 DIN modules 17.5 mm 
1	2 811 82	Central unit ○ White 
1	2 811 83	Local control unit With LCD display, child surveillance and intercommunication ○ White 
1	2 811 84	Radio tuner with local control unit Dim.: 146 x 86 mm ○ White 
1	2 811 85	Loudspeaker ○ White 

Mallia™ single pole switches - customisable colours



2 830 02



2 832 04



2 830 12 + 2 819 98



2 834 16 + 2 819 97



Plate selection charts p. 36-37

Conform to BS EN 60669 – 1
 Painted polycarbonate front cover
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 To be equipped with plates
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole standard switches 10 AX - 250 V~
5	2 830 00	1 gang - 1-way switch ● Silver ● Pearl ● Dark Silver
5	2 832 00	
5	2 834 00	
5	2 830 01	1 gang - 2-way switch ● Silver ● Pearl ● Dark Silver
5	2 832 01	
5	2 834 01	
4	2 830 08	1 gang - intermediate switch ● Silver ● Pearl ● Dark Silver
4	2 832 08	
4	2 834 08	
5	2 830 02	2 gang - 1-way switch ● Silver ● Pearl ● Dark Silver
5	2 832 02	
5	2 834 02	
5	2 830 03	2 gang - 2-way switch ● Silver ● Pearl ● Dark Silver
5	2 832 03	
5	2 834 03	
5	2 830 04	3 gang - 1-way switch ● Silver ● Pearl ● Dark Silver
5	2 832 04	
5	2 834 04	
5	2 830 05	3 gang - 2-way switch ● Silver ● Pearl ● Dark Silver
5	2 832 05	
5	2 834 05	
5	2 830 06	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ● Silver ● Pearl ● Dark Silver
5	2 832 06	
5	2 834 06	
5	2 830 07	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ● Silver ● Pearl ● Dark Silver
5	2 832 07	
5	2 834 07	

Pack	Cat.Nos	Single pole illuminated switches 10 AX - 250 V~
		Transparent phosphorescent lens To be equipped with green or red LED according to the needs: indicator or locator (p. 34) The LED is not supplied
5	2 830 10	1 gang - 1-way switch ● Silver ● Pearl ● Dark Silver
5	2 832 10	
5	2 834 10	
5	2 830 11	1 gang - 2-way switch ● Silver ● Pearl ● Dark Silver
5	2 832 11	
5	2 834 11	
4	2 830 09	1 gang - intermediate switch ● Silver ● Pearl ● Dark Silver
4	2 832 09	
4	2 834 09	
5	2 830 12	2 gang - 1-way switch ● Silver ● Pearl ● Dark Silver
5	2 832 12	
5	2 834 12	
5	2 830 13	2 gang - 2-way switch ● Silver ● Pearl ● Dark Silver
5	2 832 13	
5	2 834 13	
5	2 830 14	3 gang - 1-way switch ● Silver ● Pearl ● Dark Silver
5	2 832 14	
5	2 834 14	
5	2 830 15	3 gang - 2-way switch ● Silver ● Pearl ● Dark Silver
5	2 832 15	
5	2 834 15	
5	2 830 16	4 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ● Silver ● Pearl ● Dark Silver
5	2 832 16	
5	2 834 16	
5	2 830 17	4 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes ● Silver ● Pearl ● Dark Silver
5	2 832 17	
5	2 834 17	

Mallia™ single pole switches and double pole switches - customisable colours



2 834 53



2 830 54



2 832 62



2 834 66



Plate selection charts p. 36-37

Conform to BS EN 60669 - 1
 Painted polycarbonate front cover
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 To be equipped with plates
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Single pole switches 20 AX - 250 V~
5	2 830 50	1 gang - 1-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 50	
5	2 834 50	
5	2 830 51	1 gang - 2-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 51	
5	2 834 51	
4	2 830 69	1 gang - intermediate switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
4	2 832 69	
4	2 834 69	
5	2 830 52	2 gang - 1-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 52	
5	2 834 52	
5	2 830 53	2 gang - 2-way switch <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 53	
5	2 834 53	
5	2 830 54	3 gang - 1-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 54	
5	2 834 54	
5	2 830 55	3 gang - 2-way switch Compatible with metal boxes only, for installation fold the vertical lugs of the boxes <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 55	
5	2 834 55	

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~
5	2 830 60	Equipped with earth link connector 1 gang - 1-way <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 60	
5	2 834 60	
5	2 830 61	1 gang - 1-way with LED power indicator <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 61	
5	2 834 61	
5	2 830 62	1 gang - 1-way with LED power indicator and "WATER HEATER" marking <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 62	
5	2 834 62	

Pack	Cat.Nos	Double pole switches 20 AX - 250 V~ (continued)
5	2 830 65	2 gang - 1-way with LED power indicator <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 65	
5	2 834 65	
5	2 830 66	1 gang - 1-way with LED power indicator and cable outlet <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 66	
5	2 834 66	
5	2 830 67	1 gang - 1-way with LED power indicator and cable outlet, "WATER HEATER" marking <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 67	
5	2 834 67	
5	2 830 68	1 gang - 2-way with "WATER HEATER" marking <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 68	
5	2 834 68	

Pack	Cat.Nos	Double pole switches 45 A - 250 V~
Conform to BS EN 60669 - 1		
5	2 830 71	1 gang - 1-way with red indicator <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 71	
5	2 834 71	
5	2 830 72	1 gang - 1-way with red indicator and cooker marking <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 72	
5	2 834 72	
5	2 830 73	2 gang - 1-way vertical switch with red indicator Dim.: 86 x 146 mm Use special plates (p. 34) <ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 73	
5	2 834 73	

Mallia™ push-buttons, dimmers, automatic switches and other lighting functions - customisable colours



2 830 84



2 834 90



2 832 81



2 812 75

Plate selection charts **p. 36-37**

Conform to BS EN 60669 – 1
 Painted polycarbonate front cover
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 To be equipped with plates - Dim.: 86 x 86 mm

Pack Cat.Nos Push-buttons 10 A - 250 V~

Pack	Cat.Nos	Color
5	2 830 41	Silver
5	2 832 41	Pearl
5	2 834 41	Dark Silver
N/O contact (push to make)		
5	2 830 40	Silver
5	2 832 40	Pearl
5	2 834 40	Dark Silver
N/O contact with bell symbol		

Dimmers

Pack	Cat.Nos	Color
1	2 830 80	Silver
1	2 832 80	Pearl
1	2 834 80	Dark Silver
Rotary control dimmer 60-500 W for incandescent and halogen lamps 230 V~ 60-300 VA ELV halogen lamps with ferromagnetic transformer and compensator Cat.No 0 401 39		
1	2 830 84	Silver
1	2 832 84	Pearl
1	2 834 84	Dark Silver
Rotary control dimmer + switch 500 W rotary control dimmer + 2-way switch - for incandescent and halogen lamps 230 V~		
1	2 830 85	Silver
1	2 832 85	Pearl
1	2 834 85	Dark Silver
Rotary dimmer 60-1000 W for incandescent and halogen lamps 230 V 60-1000 VA for halogen lamps with ferromagnetic transformers Can control electronic transformers with leading edge behaviour, max. 600 VA Installation without neutral		

Automatic switches

Pack	Cat.Nos	Color
1	2 830 90	Silver
1	2 832 90	Pearl
1	2 834 90	Dark Silver
IR movement detector Horizontal detection angle 180° Luminosity threshold: 43 to 1614 lux Temporization: 20 s - 15 min Detection range: max. 12 m Compatible load: 25 - 200 W for incandescent and halogen lamps 230 V~		

Pack Cat.Nos Programmable switches

Pack	Cat.Nos	Color
1	2 830 92	Silver
1	2 832 92	Pearl
1	2 834 92	Dark Silver
Power supply: 230 V~ - 50/60 Hz Maximum load: 2300 W Weekly programme Capacity: max. 28 programmes Output: 1 changeover contact		

Time delay switches

Pack	Cat.Nos	Color
1	2 830 91	Silver
1	2 832 91	Pearl
1	2 834 91	Dark Silver
Adjustable time from 5 min to 12 h Maximum load: 500 W incandescent and halogen lamps 230 V~ 250 W fluorescent lamps without capacitor		

Fan speed controls

Pack	Cat.Nos	Color
1	2 830 81	Silver
1	2 832 81	Pearl
1	2 834 81	Dark Silver
400 VA rotary fan controls		
1	2 830 82	Silver
1	2 832 82	Pearl
1	2 834 82	Dark Silver
5-speed fan controls 100 W for fan with overall diameter 48"		

Cooker control units 45 A - 250 V~

Pack	Cat.Nos	Color
5	2 812 75	Silver
5	2 832 75	Pearl
5	2 834 75	Dark Silver
Supplied complete with plate Conform to BS 4177 45 A DP switch + 13 A switched socket outlet with red indicator Dim.: 146 x 86 mm		

Mallia™ telephone, data, television, shaver sockets and cable outlets - customisable colours



2 835 63



2 831 62



2 835 51



2 831 35



Plate selection charts p. 36-37

Conform to BS EN 60669 – 1
 Painted polycarbonate front cover
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 To be equipped with plates - Dim.: 86 x 86 mm

Pack Cat.Nos Telephone sockets

Pack	Cat.Nos	Description	Colors
5	2 831 60	RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector	● Silver
5	2 833 60		● Pearl
5	2 835 60		● Dark Silver

Pack	Cat.Nos	Description	Colors
5	2 831 63	Double RJ 11 sockets - 4 contacts 1/4 turn, tool-less connector	● Silver
5	2 833 63		● Pearl
5	2 835 63		● Dark Silver

Pack	Cat.Nos	Description	Colors
5	2 831 68	BS master telephone sockets	● Silver
5	2 833 68		● Pearl
5	2 835 68		● Dark Silver

Pack	Cat.Nos	Description	Colors
5	2 831 69	BS secondary telephone sockets	● Silver
5	2 833 69		● Pearl
5	2 835 69		● Dark Silver

Pack	Cat.Nos	Description	Colors
5	2 831 70	2 A - 3 pin sockets	● Silver
5	2 833 70		● Pearl
5	2 835 70		● Dark Silver

Data sockets

Pack	Cat.Nos	Description	Colors
5	2 831 61	RJ 45 Cat. 5e UTP	● Silver
5	2 833 61		● Pearl
5	2 835 61		● Dark Silver

Pack	Cat.Nos	Description	Colors
5	2 831 62	RJ 45 Cat. 6 UTP	● Silver
5	2 833 62		● Pearl
5	2 835 62		● Dark Silver

Pack	Cat.Nos	Description	Colors
5	2 831 64	Double RJ 45 Cat. 5e UTP	● Silver
5	2 833 64		● Pearl
5	2 835 64		● Dark Silver

Pack	Cat.Nos	Description	Colors
5	2 831 65	Double RJ 45 Cat. 6 UTP	● Silver
5	2 833 65		● Pearl
5	2 835 65		● Dark Silver

Pack Cat.Nos Telephone and data sockets

Pack	Cat.Nos	Description	Colors
5	2 831 66	RJ 11 + RJ 45 sockets Cat. 5e UTP	● Silver
5	2 833 66		● Pearl
5	2 835 66		● Dark Silver

Television sockets

Pack	Cat.Nos	Description	Colors
5	2 831 51	TV female terminal sockets	● Silver
5	2 833 51		● Pearl
5	2 835 51		● Dark Silver

Pack	Cat.Nos	Description	Colors
5	2 831 52	TV female "F" type sockets	● Silver
5	2 833 52		● Pearl
5	2 835 52		● Dark Silver

Pack	Cat.Nos	Description	Colors
5	2 831 53	TV-R terminal sockets	● Silver
5	2 833 53		● Pearl
5	2 835 53		● Dark Silver

Pack	Cat.Nos	Description	Colors
5	2 831 57	TV-R-SAT sockets	● Silver
5	2 833 57		● Pearl
5	2 835 57		● Dark Silver

Pack	Cat.Nos	Description	Colors
5	2 831 55	TV-FM SCV outlet type F (2 gang)	● Silver
5	2 833 55		● Pearl
5	2 835 55		● Dark Silver

Shaver sockets

Pack	Cat.Nos	Description	Colors
1	2 831 35	240 V / 120 V ~ - 50/60 Hz Dim.: 86 x 146 mm	● Silver
1	2 833 35		● Pearl
1	2 835 35		● Dark Silver

Cable outlets

Conform to BS 5733

Pack	Cat.Nos	Description	Colors
5	2 831 47	20 A	● Silver
5	2 833 47		● Pearl
5	2 835 47		● Dark Silver

Pack	Cat.Nos	Description	Colors
5	2 831 48	45 A - supplied complete with plate	● Silver
5	2 833 48		● Pearl
5	2 835 48		● Dark Silver

Mallia™ British standard socket outlets and fused connection units - customisable colours



2 833 13



2 817 18



2 835 28



2 833 42



Plate selection charts p. 36-37

Conform to BS EN 60669 – 1. Painted polycarbonate front cover
Compact mechanism for a larger wiring space. Supplied with 2 screws
M 3.5 for BS boxes. All sockets integrate child protection
To be equipped with plates. Dim.: 86 x 86 mm

Pack	Cat.Nos	British standard socket outlets 13 A - 250 V~
		Conform to BS 1363: Part 2
5	2 831 10	1 gang unswitched
5	2 833 10	● Silver
5	2 835 10	● Pearl
		● Dark Silver
5	2 831 12	2 gang unswitched - Dim.: 146 x 86 mm
5	2 833 12	● Silver
5	2 835 12	● Pearl
		● Dark Silver
5	2 831 11	1 gang - single pole switched
5	2 833 11	● Silver
5	2 835 11	● Pearl
		● Dark Silver
5	2 831 14	1 gang - single pole switched with red power indicator
5	2 833 14	● Silver
5	2 835 14	● Pearl
		● Dark Silver
5	2 831 13	2 gang - single pole switched - Dim.: 146 x 86 mm
5	2 833 13	● Silver
5	2 835 13	● Pearl
		● Dark Silver
5	2 831 15	2 gang - single pole switched with red power indicator - Dim.: 146 x 86 mm
5	2 833 15	● Silver
5	2 835 15	● Pearl
		● Dark Silver

Pack	Cat.Nos	British standard double pole socket outlets 13 A - 250 V~
		Supplied complete with plate
5	2 813 16	1 gang - double pole switched
5	2 816 16	● Silver
5	2 817 16	● Pearl
		● Dark Silver
5	2 813 18	1 gang - double pole switched with red power indicator
5	2 816 18	● Silver
5	2 817 18	● Pearl
		● Dark Silver
5	2 813 17	2 gang - double pole switched - Dim.: 146 x 86 mm
5	2 816 17	● Silver
5	2 817 17	● Pearl
		● Dark Silver
5	2 813 19	2 gang - double pole switched with red power indicator - Dim.: 146 x 86 mm
5	2 816 19	● Silver
5	2 817 19	● Pearl
		● Dark Silver

Pack	Cat.Nos	British standard socket outlets 15 A - 250 V~
		Conform to BS 546
5	2 831 27	1 gang unswitched
5	2 833 27	● Silver
5	2 835 27	● Pearl
		● Dark Silver
5	2 831 28	1 gang switched
5	2 833 28	● Silver
5	2 835 28	● Pearl
		● Dark Silver
5	2 831 29	1 gang switched, with red LED power indicator
5	2 833 29	● Silver
5	2 835 29	● Pearl
		● Dark Silver
		British standard socket outlets 5 A - 250 V~
		Conform to BS 546
5	2 831 31	1 gang unswitched
5	2 833 31	● Silver
5	2 835 31	● Pearl
		● Dark Silver
5	2 831 32	1 gang switched
5	2 833 32	● Silver
5	2 835 32	● Pearl
		● Dark Silver

Pack	Cat.Nos	13 A fused connection units
		Conform to BS 1363: Part 4
5	2 831 40	Unswitched
5	2 833 40	● Silver
5	2 835 40	● Pearl
		● Dark Silver
5	2 831 41	Switched
5	2 833 41	● Silver
5	2 835 41	● Pearl
		● Dark Silver
5	2 831 42	Switched with red LED power indicator
5	2 833 42	● Silver
5	2 835 42	● Pearl
		● Dark Silver

Mallia™ Euro-US and German standard socket outlets - customisable colours



2 835 02



2 833 25



2 831 26



2 831 22

Plate selection charts **p. 36-37**

Painted polycarbonate front cover. Compact mechanism for a larger wiring space. Supplied with 2 screws M 3,5 for BS boxes
All sockets integrate child protection. To be equipped with plates
Dim.: 86 x 86 mm

Euro-US standard socket outlets 10/16 A - 250 V~

Pack	Cat.Nos	Color
5	2 831 00	Silver
5	2 833 00	Pearl
5	2 835 00	Dark Silver
2P - 1 gang		
2P - 1 gang + 10 A switch		
5	2 831 01	Silver
5	2 833 01	Pearl
5	2 835 01	Dark Silver
2P - 2 gang (separated connection)		
5	2 831 02	Silver
5	2 833 02	Pearl
5	2 835 02	Dark Silver
2P+E - 1 gang		
5	2 831 03	Silver
5	2 833 03	Pearl
5	2 835 03	Dark Silver
2P+E - 2 gang		
5	2 831 04	Silver
5	2 833 04	Pearl
5	2 835 04	Dark Silver

US standard socket outlets 15 A - 127 V - SASO agreement

Pack	Cat.Nos	Color
5	2 831 05	Silver
5	2 833 05	Pearl
5	2 835 05	Dark Silver
2P+E - 1 gang		
2P+E - 2 gang		
5	2 831 06	Silver
5	2 833 06	Pearl
5	2 835 06	Dark Silver

German standard socket outlets 16 A - 250 V~

5	2 831 25	Silver - vertical mounting
5	2 833 25	Pearl - vertical mounting
5	2 835 25	Dark Silver - vertical mounting
5	2 831 26	Silver - horizontal mounting
5	2 833 26	Pearl - horizontal mounting
5	2 835 26	Dark Silver - horizontal mounting

Multistandard socket outlets - 16 A - 250 V/ 15 A - 127 V

5	2 831 20	Silver
5	2 833 20	Pearl
5	2 835 20	Dark Silver
2P+E - 1 gang		
10	2 831 22	Silver
	2 833 22	Pearl
	2 835 22	Dark Silver
2P+E - 2 gang		

Mallia™ switches for hotels, downlighters and sound distribution - customisable colours



2 830 45



2 834 97



2 833 80



2 831 85

Plate selection charts **p. 36-37**

Painted polycarbonate front cover
 Compact mechanism for a larger wiring space
 Supplied with 2 screws M 3.5 for BS boxes
 To be equipped with plates
 Dim.: 86 x 86 mm

Pack	Cat.Nos	Switches for hotels - 230 V~
		Key card switches - 15 A Time delay around 30 s
1	2 830 48	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
1	2 832 48	
1	2 834 48	
		Do not disturb / Occupied / Clean up Bell push-buttons
5	2 830 45	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 45	
5	2 834 45	
		Do not disturb / Clean up - 2 gang switches
5	2 830 46	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 46	
5	2 834 46	
		Downlighters
5	2 830 97	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
5	2 832 97	
5	2 834 97	

Pack	Cat.Nos	Stand-alone sound distribution system for 1 single room
		Kit containing: - 1 power supply - 1 tuner - 2 loudspeakers
1	2 831 80	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
1	2 833 80	
1	2 835 80	
		Configurable sound distribution system for several rooms
		Modular power supply 230 V / 15 V - 15 W 5 DIN modules 17.5 mm
1	2 811 81	
		Central units
1	2 831 82	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
1	2 833 82	
1	2 835 82	
		Local control units With LCD display, child surveillance and intercommunication
1	2 831 83	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
1	2 833 83	
1	2 835 83	
		Radio tuner with local control units Dim.: 146 x 86 mm
1	2 831 84	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
1	2 833 84	
1	2 835 84	
		Loudspeakers
1	2 831 85	<ul style="list-style-type: none"> ● Silver ● Pearl ● Dark Silver
1	2 833 85	
1	2 835 85	

Mallia™ plates, frames, blanking plates, adaptors and accessories - customisable



Plate selection charts p. 36-37

Pack	Cat.Nos	Plates
		1 gang
10	2 819 00	○ White
10	2 819 05	● Silver
10	2 819 10	● Champagne
10	2 819 50	● Pearl
10	2 819 55	● Dark Silver
10	2 819 60	● Brass
10	2 819 65	● Bronze
10	2 819 70	● Matt Black
10	2 819 75	● Copper
1	2 819 78	● Brushed Stainless Steel
1	2 819 82	● Gold
1	2 819 86	● Polished Stainless Steel
1	2 819 90	● Lacquered Black
		2 x 1 gang
5	2 819 01	○ White
5	2 819 06	● Silver
5	2 819 11	● Champagne
5	2 819 51	● Pearl
5	2 819 56	● Dark Silver
5	2 819 61	● Brass
5	2 819 66	● Bronze
5	2 819 71	● Matt Black
5	2 819 76	● Copper
1	2 819 79	● Brushed Stainless Steel
1	2 819 83	● Gold
1	2 819 87	● Polished Stainless Steel
1	2 819 91	● Lacquered Black
		2 gang - Vertical
		For 2 gang vertical DP switch 45 A (p. 28)
5	2 819 02	○ White
5	2 819 07	● Silver
5	2 819 12	● Champagne
5	2 819 52	● Pearl
5	2 819 57	● Dark Silver
5	2 819 62	● Brass
5	2 819 67	● Bronze
5	2 819 72	● Matt Black
5	2 819 77	● Copper
1	2 819 80	● Brushed Stainless Steel
1	2 819 84	● Gold
1	2 819 88	● Polished Stainless Steel
1	2 819 92	● Lacquered Black

Pack	Cat.Nos	Blanking plates
		1 gang
10	2 811 90	○ White
10	2 831 90	● Silver
10	2 833 90	● Pearl
10	2 835 90	● Dark Silver
		2 gang
5	2 811 91	○ White
5	2 831 91	● Silver
5	2 833 91	● Pearl
5	2 835 91	● Dark Silver

Pack	Cat.Nos	Arteor adaptors
		1 gang
5	2 811 92	○ White - Supplied with plate (complete)
5	2 831 92	● Silver - Supplied without plate
5	2 833 92	● Pearl - Supplied without plate
5	2 835 92	● Dark Silver - Supplied without plate
		2 gang
5	2 811 93	○ White - Supplied with plate (complete)
5	2 831 93	● Silver - Supplied without plate
5	2 833 93	● Pearl - Supplied without plate
5	2 835 93	● Dark Silver - Supplied without plate

Pack	Cat.Nos	Transparent rockers with label holders for switches
		Can be used instead of the standard rocker plates Supplied with white labels
5	2 818 95	1 gang
5	2 818 96	2 gang
5	2 818 97	3 gang


Pack	Cat.Nos	Lamps
10	2 819 97	LED 220 V, green low consumption For locator use
10	2 819 98	LED 220 V, red - high luminosity For indicator use

Mallia™

complete white or customisable colours: find an answer to your needs...

Mallia offers a selection of wiring devices in white and colours
You'll find a solution for every situation in complete, modular or dressable mounting

■ Complete mounting: Mallia White



■ Modular mounting: Mallia White and colours



■ Dressable mounting: Mallia colours



Mallia™ plate selection charts - customisable

PLATES						
	1 gang	2 x 1 gang	2 x 1 gang	3 x 1 gang	4 x 1 gang	5 x 1 gang
White	2 819 00	2 819 01	2 816 20	2 816 30	2 816 40	2 816 50
Silver	2 819 05	2 819 06	2 816 21	2 816 31	2 816 41	2 816 51
Champagne	2 819 10	2 819 11	2 816 22	2 816 32	2 816 42	2 816 52
Pearl	2 819 50	2 819 51	2 816 23	2 816 33	2 816 43	2 816 53
Dark Silver	2 819 55	2 819 56	2 816 24	2 816 34	2 816 44	2 816 54
Brass	2 819 60	2 819 61	2 816 25	2 816 35	2 816 45	2 816 55
Bronze	2 819 65	2 819 66	2 816 26	2 816 36	2 816 46	2 816 56
Matt Black	2 819 70	2 819 71	2 816 27	2 816 37	2 816 47	2 816 57
Copper	2 819 75	2 819 76	2 816 28	2 816 38	2 816 48	2 816 58
Brushed Stainless Steel	2 819 78	2 819 79	-	-	-	-
Gold	2 819 82	2 819 83	-	-	-	-
Polished Stainless Steel	2 819 86	2 819 87	-	-	-	-
Lacquered Black	2 819 90	2 819 91	-	-	-	-

Mallia™ plate selection charts - customisable (continued)

PLATES	 		 	
	BLANKING PLATES		ARTEOR ADAPTORS	
	1 gang	2 gang	1 gang	2 gang
White 	2 811 90	2 811 91	2 811 92 ⁽¹⁾	2 811 93 ⁽¹⁾
Silver 	2 831 90	2 831 91	2 831 92 ⁽²⁾	2 831 93 ⁽²⁾
Pearl 	2 833 90	2 833 91	2 833 92 ⁽²⁾	2 833 93 ⁽²⁾
Dark Silver 	2 835 90	2 835 91	2 835 92 ⁽²⁾	2 835 93 ⁽²⁾

1: Supplied complete with plate
2: Supplied without plate



Legrand Singapore

17 Neythal Road
Singapore 628582

Tel.: + (65) 6416 1550

Fax: + (65) 6416 1580

Email: customerhub.sg@legrand.com.sg

www.legrand.com.sg