

JP SERIES



7-Inch Touchcreen Monitor with Mobile Application and JP-EC to replace Handset







Mobile applications

JP-TLI-IP





User-friendly touchscreen navigation



Wide-angle door camera allows greater viewing of a visitor



Expandable-station capacity up to 4 doors and 8 inside stations



Integrate-analog CCTV cameras or other security type devices for full functionality

Providing a slim, low-profile design, the JP Series offers elegant styling and easy to use functionality.

Large 7" screen with superior image quality

Using the touchscreen, zoom in on visitor faces and other specific areas. Users may also use the PanTilt function to view ID badges or labels and focus on a particular area more in detail.



LCD captures a wide view of the entrance area.



170° horizontal angle and 100° vertical angle camera minimizes blind spots, ensuring a clear view of the door station area.

Record outside disturbances by pushing the manual record button.



High-durability lenses prevents glare from reflections of scattered light on the lens cover, and also reduces lens clouding.

The JP Series' have vandal resistant door stations have an impact-resistance rating of IK08.

Vandal resistant video door stations: JP-DV, JP-DVF, JP-DVF-L

Utility Features

Full functionality for a multitude of communication needs.

User-Friendly Touchscreen Navigation

Use the JP Series touchscreen to easily control all functions of the system.

Internal communication

Make an announcement to all master stations or select a single master station to call.

Flexible communication – all-in-one device

Hands-free (One Touch) or handset for privacy!

Audio monitoring of other master stations

Master stations can be set to monitor audio from other master stations.

Features for the visually and hearing Impaired

Visual and Audio guides using select door stations. T-Coil connection for hearing aids.

Available in 9 languages

Choose from English, German, French, Italian, Spanish, Dutch, Norwegian, Chinese (Traditional / Simplified).

Mobile applications

The JP Series Mobile app Features

- Answer Call from Call Panel Via 4G Network
- Released Door from Mobile
 Application
- No Distance Limitation
- Take Place of Sub Station and Counts in system Capacity

Security Features

Integrate with emergency buttons and sensors for heightened security in every situation

The JP Series can be combined with up to three optional input circuits, including emergency buttons, smoke detectors, and gas-leak alarms. The intercom system (master station) provides an audio and visual warning if a button is pressed or a sensor activated.

Add surveillance cameras for additional video viewing

Installing cameras makes it possible to view entranceways, gates, and other outside areas on the intercom monitor.

Automatically record visitors who come to your door

JP Series records **6 pictures** per call to internal memory. If an SD / SDHC card is set as the primary storage location, recording increases to 4 pictures per second for up to 10 seconds per call (**40 pictures**).

See images clearly day and night

The JP Series is equipped with an advanced light adjustment feature to compensate for varying light levels. If a picture is too dark, use the ADJUST feature to increase brightness at the door station.

devices.

Available on

The **JP MOBILE** is an app

for Android and iOS based

Perfect system for small offices and other commercial sites as well as small to large home and residential locations

The JP Series is the optimal intercom system for communication between areas at different locations on the same grounds. The also provides internal communication between different office buildings, main-gate security, CCTV surveillance rooms, and other locations.

Recommended Installation Sites





- Commercial Campus
- Residential Dwelling
- Schools
- Retail shops
- Small offices



Product Features

Telephone Interface for JP monitors



- 12 VDC power source supplied
- Voice synthesis for the door station
- RJ11 wiring for the station and telephone line with adapter plug
- Outlet contact activated by the master monitor station
- Programming through DTMF-type station
- Call on internal telephone station (without communication costs)
- Double call beep of the door station to the telephone during communication
- Compatible with JP-4MED
- Takes the place of a substation and counts in the system capacity

Master station



JP-4MED Hands-free color video intercom sub master station

Call Panel / Accessories



Sub master station



JP-4HD Hands-free color video intercom sub master station





JP-EC JPEC Embellisher for Handset, add on Module to allow JP internal station to become fully Hand Free



JP-DVF PanTilt & Zoom vandal-resistant video door station, flush mount



JP-DV PanTilt & Zoom vandal resistant video door station, surface mount



JP-DVF-L PanTilt & Zoom vandalresistant video door station, flush mount (Guidanceenabled type)



JP4DVF4L 4 button PanTilt









GT-D Audio only door station



CFTPJM Pack of 2 RJ/AE-cable connectors + 2 CAT6 wires

#